

My Kid's Pediatrics and Adolescent Care Vaccination Schedule

1mo	Hepatitis B #1 (If not given at birth)				
2mo	(Dtap-Hib-IPV) Pentacel #1	Hepatitis B #2	Prevnar 20 #1	Rotateq #1	
4mo	(Dtap-Hib-IPV) Pentacel #2		Prevnar 20 #2	Rotateq #2	
6mo	(Dtap-Hib-IPV) Pentacel #3	Hepatitis B #3	Prevnar 20 #3	Rotateq #3	*Flu #1 2nd dose in a month
12mo	MMR #1	Varicella #2	Hepatitis A #1		
15mo	DTaP #4	Hib #4	Prevnar 20 #4		
18mo	Hepatitis A #2				
4 yr	MMRV #2	Quadracel (DTaP+IPV)			
11 yr	Tdap (Adacel)	MenQuadfi #1	*HPV series		
16 yr	MenQuadfi #2	Bexsero #1 2nd dose in a			

*Influenza: recommended to all children older than 6 months.

- 2 doses, separated by at least 4 weeks, for children age 6 months-8 years who are receiving influenza vaccine for the first time or have received <2 influenza vaccine doses.
- 1 dose for children age 6 months-8 years who have received at least 2 influenza vaccine doses.
- 1 dose for all persons age 9 years or older.

*HPV (Human Papilloma Virus):

- If initial vaccination before age 15: 2-dose series at 0 and 6-12 months.
- If initial vaccination at age 15 years or older: 3-dose series at 0, 1-2 months, and 6 months.